



PATENT
Atty. Dkt. No. APPM/2966.P2(X3)/DSM/BCVD/JP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Huang

Patent No.: 6,974,766

Issued: December 13, 2005

Serial No.: 09/270,039

Filed: March 16, 1999

For: IN SITU DEPOSITION OF A
LOW κ DIELECTRIC
LAYER, BARRIER LAYER,
ETCH STOP, AND ANTI-
REFLECTIVE COATING
FOR DAMASCENE
APPLICATION

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF MAILING
37 CFR 1.8

I hereby certify that this correspondence is being deposited on
7/27, 2006 with the United States Postal Service as
First Class Mail in an envelope addressed to: Certificate of
Correction Branch, Commissioner for Patents, P.O. Box 1450
Alexandria, VA 22313-1450.

7/27/06 Karin R. Zales
Date Signature

REQUEST FOR CERTIFICATE OF CORRECTION

Attached is a Certificate of Correction for correcting several errors throughout the printed patent.

Applicants submit that at least one of the errors mentioned above was made by the applicants. Therefore, please charge the fee of \$100.00 to deposit account no. 20-0782/APPM/2966.P2(X3) (KMT).

Respectfully submitted,

08/02/2006 YFOLITE1 000000001 200782 6974766

Q1 FC:1911 100.00 DA

Keith M. Tackett
Registration No. 32,008
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd. Suite 1500
Houston, TX 77056
Telephone: (713) 623-4844
Facsimile: (713) 623-4846

486056 1

Agent for Applicant(s)



UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,974,766

Page 1 of 1

APPLICATION NO. : 09/270,039

DATED : Dec. 13, 2005

INVENTOR(S) : Judy H. HUANG

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In the Specification

Column 8, Line 50: After "such", change "a" to --as--

Column 10, Line 35: Before "stack", insert --substrate--

Column 11, Line 34: Change "dimethylsilane" to --dimethylsilane--

Column 12, Table 2: Change "(Watts/" in²)" to --(Watts/in²)--

Column 12, Line 32: After "centimeters", insert --per minute--

Column 14, Line 50: Change "orqanosiloxane" to --organosiloxane--

Column 14, Line 61: Change "--CH₃--" to -- --CH₂-- --

Column 15, Line 19: Change "CH₃--SiH₂--O--SiH₂)₂--CH₂" to -- CH₃--SiH₂--O--SiH₂)₂--CH₂--

Column 15, Line 47: Change "is" to --in--

Column 19, Line 49: Before "copper", change "a" to --as--

Column 20, Line 9: After "supplies", change "an" to --a--

Column 20, Line 18: Before "silane-based", change "an" to --a--

In the Claims

Column 21, Claim 5, Line 12: Change "4" to --1--

Column 21, Claim 13, Line 47: Delete the comma after "enhanced"

Column 22, Claim 22, Line 46: Delete the comma after "organosiloxane"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Keith M. Tackett
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056-6582

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.